

lb/A

BROOKSIDE LABORATORIES, INC.

94689-1

SOIL AUDIT AND INVENTORY REPORT

Name Huntington Country Club City Cold Spring Harbor State NYIndependent Consultant Soil and Water Consulting Date 08/26/2025

Sample Location	HUNTINGTON CC	FAIRWAY	FAIRWAY	FAIRWAY	FAIRWAY	FAIRWAY
Sample Identification		1	4	5	6	7
Lab Number		0609-1	0610-1	0611-1	0613-1	0614-1
Total Exchange Capacity (ME/100 g)		8.13	7.26	7.69	8.01	8.25
pH	Buffer (SMP/Sikora) H ₂ O (1:1)	6.9 5.6	7.0 5.6	7.0 5.6	6.9 5.8	7.0 5.7
Organic Matter (360°C LOI) %		5.00	3.78	4.37	5.59	4.80
Estimated Nitrogen Release	lb/A	100	88	94	103	98
ANIONS	SOLUBLE SULFUR*					
	ppm	22	16	18	19	20
	MEHLICH III lb/A P as P ₂ O ₅	582	485	431	385	591
	ppm of P	127	106	94	84	129
	BRAY II lb/A P as P ₂ O ₅					
	ppm of P					
	OLSEN lb/A P as P ₂ O ₅					
	ppm of P					
EXCHANGABLE CATIONS	CALCIUM*	lb/A	1560	1430	1484	1684
	ppm		780	715	742	842
	MAGNESIUM*	lb/A	232	178	206	244
	ppm		116	89	103	122
	POTASSIUM*	lb/A	344	350	360	392
	ppm		172	175	180	196
	SODIUM*	lb/A	56	40	48	60
	ppm		28	20	24	30
BASE SATURATION PERCENT						
Calcium	%	47.97	49.24	48.24	52.56	52.18
Magnesium	%	11.89	10.22	11.16	12.69	10.91
Potassium	%	5.42	6.18	6.00	6.27	5.56
Sodium	%	1.50	1.20	1.36	1.63	1.37
Other Bases	%	6.20	6.20	6.20	5.80	6.00
Hydrogen	%	27.00	27.00	27.00	21.00	24.00
EXTRACTABLE MINORS						
Boron* (ppm)		0.39	0.42	0.40	0.51	0.39
Iron* (ppm)		194	210	178	205	170
Manganese* (ppm)		12	14	10	12	9
Copper* (ppm)		1.65	1.82	1.60	1.62	1.75
Zinc* (ppm)		4.97	5.91	3.82	4.24	4.70
Aluminum* (ppm)		869	700	910	790	895
OTHER TESTS	Soluble Salts (mmhos/cm)					
	Chlorides (ppm)	40.71	28.94	20.52	34.50	30.11
	NO ₃ -N (ppm)	19.2	23.4	11.6	20.9	18.2
	NH ₄ -N (ppm)	9.3	17.6	2.7	8.2	5.5
	Bicarbonate (ppm)	47.30	43.65	30.88	52.94	52.36
	Sodium (ppm)					

* Mehlich III Extractable

lb/A

BROOKSIDE LABORATORIES, INC.

94689-1

SOIL AUDIT AND INVENTORY REPORT

Name Huntington Country Club City Cold Spring Harbor State NYIndependent Consultant Soil and Water Consulting Date 08/26/2025

Sample Location	HUNTINGTON CC	FAIRWAY	FAIRWAY	FAIRWAY	FAIRWAY	FAIRWAY
Sample Identification		8	9	10	11	13
Lab Number		0615-1	0616-1	0617-1	0618-1	0619-1
Total Exchange Capacity (ME/100 g)		7.28	7.89	7.85	10.09	9.22
pH	Buffer (SMP/Sikora) H ₂ O (1:1)	7.0 5.6	7.0 5.5	7.0 5.6	7.0 5.5	6.8 5.4
Organic Matter (360°C LOI) %		3.75	3.71	3.69	5.05	5.46
Estimated Nitrogen Release	lb/A	88	87	87	100	102
ANIONS	SOLUBLE SULFUR*					
	ppm	19	20	19	21	22
	MEHLICH III lb/A P as P ₂ O ₅	673	453	605	605	440
	ppm of P	147	99	132	132	96
	BRAY II lb/A P as P ₂ O ₅					
EXCHANGABLE CATIONS	ppm of P					
	OLSEN lb/A P as P ₂ O ₅					
	ppm of P					
	CALCIUM* lb/A	1436	1474	1628	1888	1650
	ppm	718	737	814	944	825
EXCHANGABLE CATIONS	MAGNESIUM* lb/A	180	194	176	252	208
	ppm	90	97	88	126	104
	POTASSIUM* lb/A	318	318	258	412	360
	ppm	159	159	129	206	180
	SODIUM* lb/A	54	54	50	54	54
EXCHANGABLE CATIONS	ppm	27	27	25	27	27
BASE SATURATION PERCENT						
	Calcium %	49.31	46.70	51.85	46.78	44.74
	Magnesium %	10.30	10.25	9.34	10.41	9.40
	Potassium %	5.60	5.17	4.21	5.23	5.01
	Sodium %	1.61	1.49	1.38	1.16	1.27
	Other Bases %	6.20	6.40	6.20	6.40	6.60
	Hydrogen %	27.00	30.00	27.00	30.00	33.00
EXTRACTABLE MINORS						
	Boron* (ppm)	0.39	0.41	0.41	0.41	0.43
	Iron* (ppm)	178	240	216	215	207
	Manganese* (ppm)	13	11	11	11	9
	Copper* (ppm)	2.71	1.74	1.96	2.24	1.79
	Zinc* (ppm)	5.56	5.07	5.30	5.18	4.52
	Aluminum* (ppm)	824	849	804	797	1019
OTHER TESTS	Soluble Salts (mmhos/cm)					
	Chlorides (ppm)	35.50	32.25	11.94	26.27	16.77
	NO ₃ -N (ppm)	19.3	26.9	19.9	33.7	27.8
	NH ₄ -N (ppm)	5.4	5.5	9.5	8.0	7.8
	Bicarbonate (ppm)	28.33	26.66	27.80	34.44	22.79
	Sodium (ppm)					

* Mehlich III Extractable

lb/A

BROOKSIDE LABORATORIES, INC.

94689-1

SOIL AUDIT AND INVENTORY REPORT

Name Huntington Country Club City Cold Spring Harbor State NYIndependent Consultant Soil and Water Consulting Date 08/26/2025

Sample Location	HUNTINGTON CC	FAIRWAY	FAIRWAY	FAIRWAY	FAIRWAY	FAIRWAY
Sample Identification		14	15	16	17	18
Lab Number		0620-1	0621-1	0622-1	0623-1	0624-1
Total Exchange Capacity (ME/100 g)		8.46	8.31	7.78	6.74	7.97
pH	Buffer (SMP/Sikora) H ₂ O (1:1)	7.0 5.7	7.1 5.6	6.9 5.4	7.3 6.2	6.9 5.6
Organic Matter (360°C LOI) %		5.05	5.24	4.59	4.95	5.04
Estimated Nitrogen Release	lb/A	100	101	96	100	100
ANIONS	SOLUBLE SULFUR*					
	ppm	19	21	19	19	21
	MEHLICH III lb/A P as P ₂ O ₅	609	747	595	522	472
	ppm of P	133	163	130	114	103
	BRAY II lb/A P as P ₂ O ₅					
EXCHANGABLE CATIONS	ppm of P					
	OLSEN lb/A P as P ₂ O ₅					
	ppm of P					
	CALCIUM* lb/A	1846	1666	1376	1634	1552
	ppm	923	833	688	817	776
EXCHANGABLE CATIONS	MAGNESIUM* lb/A	192	200	182	228	212
	ppm	96	100	91	114	106
	POTASSIUM* lb/A	302	332	302	312	342
	ppm	151	166	151	156	171
	SODIUM* lb/A	54	60	52	68	56
	ppm	27	30	26	34	28
BASE SATURATION PERCENT						
	Calcium %	54.55	50.12	44.22	60.61	48.68
	Magnesium %	9.46	10.03	9.75	14.09	11.08
	Potassium %	4.58	5.12	4.98	5.93	5.50
	Sodium %	1.39	1.57	1.45	2.19	1.53
	Other Bases %	6.00	6.20	6.60	5.20	6.20
	Hydrogen %	24.00	27.00	33.00	12.00	27.00
EXTRACTABLE MINORS						
	Boron* (ppm)	0.42	0.40	0.48	0.54	0.36
	Iron* (ppm)	233	191	224	207	180
	Manganese* (ppm)	13	8	10	23	12
	Copper* (ppm)	1.72	1.91	1.75	2.22	1.61
	Zinc* (ppm)	6.91	4.46	5.53	4.37	4.58
	Aluminum* (ppm)	810	1101	857	851	886
OTHER TESTS	Soluble Salts (mmhos/cm)					
	Chlorides (ppm)	25.04	39.73	27.23	40.91	31.81
	NO ₃ -N (ppm)	20.4	19.6	20.9	10.2	20.9
	NH ₄ -N (ppm)	4.1	5.0	6.2	4.4	5.4
	Bicarbonate (ppm)	78.47	28.84	23.62	118.90	37.82
	Sodium (ppm)					

* Mehlich III Extractable

lb/A

BROOKSIDE LABORATORIES, INC.

SOIL AUDIT AND INVENTORY REPORT

94689-1

Name Huntington Country Club City Cold Spring Harbor State NY

Independent Consultant Soil and Water Consulting Date 08/26/2025

Sample Location	HUNTINGTON CC	FAIRWAY				
Sample Identification		5/6 TIE				
Lab Number		0625-1				
Total Exchange Capacity (ME/100 g)		6.99				
pH	Buffer (SMP/Sikora) H ₂ O (1:1)	6.8 5.1				
Organic Matter (360°C LOI) %		5.84				
Estimated Nitrogen Release	lb/A	104				
ANIONS	SOLUBLE SULFUR*	ppm	25			
	PHOSPHORUS					
	MEHLICH III	lb/A P as P ₂ O ₅ ppm of P	188 41			
	BRAY II	lb/A P as P ₂ O ₅ ppm of P				
	OLSEN	lb/A P as P ₂ O ₅ ppm of P				
EXCHANGABLE CATIONS	CALCIUM*	lb/A ppm	906 453			
	MAGNESIUM*	lb/A ppm	178 89			
	POTASSIUM*	lb/A ppm	324 162			
	SODIUM*	lb/A ppm	60 30			
BASE SATURATION PERCENT						
	Calcium	%	32.40			
	Magnesium	%	10.61			
	Potassium	%	5.94			
	Sodium	%	1.87			
	Other Bases	%	7.20			
	Hydrogen	%	42.00			
EXTRACTABLE MINORS						
	Boron* (ppm)		0.39			
	Iron* (ppm)		263			
	Manganese* (ppm)		11			
	Copper* (ppm)		1.62			
	Zinc* (ppm)		3.51			
	Aluminum* (ppm)		996			
OTHER TESTS	Soluble Salts (mmhos/cm)					
	Chlorides (ppm)		27.46			
	NO ₃ -N (ppm)		20.6			
	NH ₄ -N (ppm)		8.0			
	Bicarbonate (ppm)		15.63			
	Sodium (ppm)					

* Mehlich III Extractable

lb/A

BROOKSIDE LABORATORIES, INC.

94689-1

SOIL AUDIT AND INVENTORY REPORT

Name Huntington Country Club City Cold Spring Harbor State NYIndependent Consultant Soil and Water Consulting Date 08/26/2025

Sample Location	HUNTINGTON CC	GREEN	GREEN	GREEN	GREEN	GREEN
Sample Identification		1	2	3	4	5
Lab Number		0626-1	0627-1	0628-1	0629-1	0630-1
Total Exchange Capacity (ME/100 g)		5.97	5.55	5.60	3.89	4.30
pH	Buffer (SMP/Sikora) H ₂ O (1:1)	7.1 5.6	7.3 5.8	7.1 5.8	7.3 5.7	7.1 5.8
Organic Matter (360°C LOI) %		2.11	2.04	1.94	1.35	1.80
Estimated Nitrogen Release	lb/A	62	61	59	47	56
ANIONS	SOLUBLE SULFUR*					
	ppm	16	14	17	11	12
	PHOSPHORUS MEHLICH III lb/A P as P ₂ O ₅	1182	1191	976	728	957
	ppm of P	258	260	213	159	209
	BRAY II lb/A P as P ₂ O ₅					
EXCHANGABLE CATIONS	ppm of P					
	OLSEN lb/A P as P ₂ O ₅					
	ppm of P					
	CALCIUM* lb/A	1322	1338	1316	858	1018
	ppm	661	669	658	429	509
	MAGNESIUM* lb/A	116	126	136	100	106
	ppm	58	63	68	50	53
	POTASSIUM* lb/A	76	70	92	52	58
	ppm	38	35	46	26	29
	SODIUM* lb/A	46	46	56	44	40
	ppm	23	23	28	22	20
BASE SATURATION PERCENT						
	Calcium %	55.36	60.27	58.75	55.14	59.19
	Magnesium %	8.10	9.46	10.12	10.71	10.27
	Potassium %	1.63	1.62	2.11	1.71	1.73
	Sodium %	1.68	1.80	2.17	2.46	2.02
	Other Bases %	6.20	5.80	5.80	6.00	5.80
	Hydrogen %	27.00	21.00	21.00	24.00	21.00
EXTRACTABLE MINORS						
	Boron* (ppm)	0.49	0.43	0.36	0.32	0.39
	Iron* (ppm)	309	245	248	222	245
	Manganese* (ppm)	15	21	13	33	18
	Copper* (ppm)	2.07	1.97	1.80	1.50	2.08
	Zinc* (ppm)	13.93	21.36	14.31	12.66	12.29
	Aluminum* (ppm)	699	560	602	317	543
OTHER TESTS	Soluble Salts (mmhos/cm)					
	Chlorides (ppm)	14.76	11.90	16.92	13.06	12.27
	NO ₃ -N (ppm)	5.2	4.7	6.0	3.3	3.7
	NH ₄ -N (ppm)	< 0.5	0.6	0.7	0.7	< 0.5
	Bicarbonate (ppm)	17.45	20.51	19.37	18.02	17.08
	Sodium (ppm)					

* Mehlich III Extractable

lb/A

BROOKSIDE LABORATORIES, INC.

94689-1

SOIL AUDIT AND INVENTORY REPORT

Name Huntington Country Club City Cold Spring Harbor State NY

Independent Consultant Soil and Water Consulting Date 08/26/2025

Sample Location			HUNTINGTON CC	GREEN	GREEN	GREEN	GREEN	GREEN	
Sample Identification				6	7	8	9	10	
Lab Number				0631-1	0632-1	0633-1	0634-1	0635-1	
Total Exchange Capacity (ME/100 g)				5.49	6.70	5.19	4.01	5.92	
pH				Buffer (SMP/Sikora) H ₂ O (1:1)	7.2 5.8	7.1 6.1	7.2 6.0	7.3 5.9	7.2 6.1
Organic Matter (360°C LOI) %				2.01	2.70	2.31	1.41	2.36	
Estimated Nitrogen Release				lb/A	60	74	66	48	67
ANIONS	SOLUBLE SULFUR*			ppm	14	18	14	9	14
	PHOSPHORUS	MEHLICH III	lb/A P as P ₂ O ₅ ppm of P	1067 233	1337 292	1008 220	614 134	1310 286	
		BRAY II	lb/A P as P ₂ O ₅ ppm of P						
		OLSEN	lb/A P as P ₂ O ₅ ppm of P						
EXCHANGABLE CATIONS	CALCIUM*		lb/A ppm	1334 667	1848 924	1328 664	942 471	1636 818	
	MAGNESIUM*		lb/A ppm	120 60	138 69	148 74	136 68	130 65	
	POTASSIUM*		lb/A ppm	66 33	110 55	68 34	46 23	68 34	
	SODIUM*		lb/A ppm	46 23	52 26	50 25	38 19	42 21	
BASE SATURATION PERCENT									
Calcium %				60.75	68.96	63.97	58.73	69.09	
Magnesium %				9.11	8.58	11.88	14.13	9.15	
Potassium %				1.54	2.10	1.68	1.47	1.47	
Sodium %				1.82	1.69	2.09	2.06	1.54	
Other Bases %				5.80	5.20	5.40	5.60	5.20	
Hydrogen %				21.00	13.50	15.00	18.00	13.50	
EXTRACTABLE MINORS									
Boron* (ppm)				0.41	0.38	0.60	0.32	0.48	
Iron* (ppm)				264	258	271	200	286	
Manganese* (ppm)				19	19	22	21	16	
Copper* (ppm)				2.26	2.02	1.83	1.41	3.14	
Zinc* (ppm)				10.74	14.35	13.83	8.69	18.39	
Aluminum* (ppm)				611	787	440	322	694	
OTHER TESTS	Soluble Salts (mmhos/cm)								
	Chlorides (ppm)			16.04	14.56	7.83	15.47	16.39	
	NO ₃ -N (ppm)			4.0	4.6	4.4	3.8	3.3	
	NH ₄ -N (ppm)			< 0.5	< 0.5	1.0	0.5	0.6	
	Bicarbonate (ppm)			21.30	30.95	24.31	24.22	24.39	
	Sodium (ppm)								

* Mehlich III Extractable

lb/A

BROOKSIDE LABORATORIES, INC.

94689-1

SOIL AUDIT AND INVENTORY REPORT

Name Huntington Country Club City Cold Spring Harbor State NYIndependent Consultant Soil and Water Consulting Date 08/26/2025

Sample Location	HUNTINGTON CC	GREEN	GREEN	GREEN	GREEN	GREEN
Sample Identification		11	12	13	14	15
Lab Number		0636-1	0637-1	0638-1	0639-1	0640-1
Total Exchange Capacity (ME/100 g)		6.26	4.69	6.42	4.81	5.92
pH	Buffer (SMP/Sikora) H ₂ O (1:1)	7.2 5.8	7.3 6.2	7.2 5.6	7.1 5.9	7.1 5.6
Organic Matter (360°C LOI) %		2.12	1.76	1.70	1.62	2.43
Estimated Nitrogen Release	lb/A	62	55	54	52	69
ANIONS	SOLUBLE SULFUR*					
	ppm	14	12	15	14	16
	MEHLICH III lb/A P as P ₂ O ₅ ppm of P	1150 251	797 174	1273 278	1159 253	1195 261
	BRAY II lb/A P as P ₂ O ₅ ppm of P					
EXCHANGABLE CATIONS	OLSEN lb/A P as P ₂ O ₅ ppm of P					
	CALCIUM* lb/A	1532	1304	1438	1208	1316
	ppm	766	652	719	604	658
	MAGNESIUM* lb/A	132	104	116	110	112
BASE SATURATION PERCENT	ppm	66	52	58	55	56
	POTASSIUM* lb/A	74	62	90	76	70
	ppm	37	31	45	38	35
	SODIUM* lb/A	50	50	44	46	50
OTHER TESTS	ppm	25	25	22	23	25
	BASE SATURATION PERCENT					
	Calcium %	61.18	69.51	56.00	62.79	55.57
	Magnesium %	8.79	9.24	7.53	9.53	7.88
EXTRACTABLE MINORS	Potassium %	1.52	1.69	1.80	2.03	1.52
	Sodium %	1.74	2.32	1.49	2.08	1.84
	Other Bases %	5.80	5.20	6.20	5.60	6.20
	Hydrogen %	21.00	12.00	27.00	18.00	27.00
EXTRACTABLE MINORS	EXTRACTABLE MINORS					
	Boron* (ppm)	0.43	0.38	0.42	0.33	0.42
	Iron* (ppm)	261	199	304	248	299
	Manganese* (ppm)	22	24	23	20	17
OTHER TESTS	Copper* (ppm)	2.24	1.77	2.98	1.96	2.93
	Zinc* (ppm)	17.10	14.79	18.21	11.13	14.40
	Aluminum* (ppm)	565	385	705	765	628
	Soluble Salts (mmhos/cm)					
OTHER TESTS	Chlorides (ppm)	14.16	11.32	13.83	8.54	11.74
	NO ₃ -N (ppm)	4.6	4.1	5.1	3.3	4.1
	NH ₄ -N (ppm)	0.5	1.1	0.6	0.9	< 0.5
	Bicarbonate (ppm)	25.47	29.67	15.11	20.33	11.64
OTHER TESTS	Sodium (ppm)					

* Mehlich III Extractable

lb/A

BROOKSIDE LABORATORIES, INC. 94689-1

SOIL AUDIT AND INVENTORY REPORT

Name Huntington Country Club City Cold Spring Harbor State NY

Independent Consultant Soil and Water Consulting Date 08/26/2025

Sample Location	HUNTINGTON CC	GREEN	GREEN	GREEN	GREEN	
Sample Identification		16	17	18	PUTTING	
Lab Number		0641-1	0642-1	0643-1	0644-1	
Total Exchange Capacity (ME/100 g)		6.33	4.87	5.52	4.56	
pH	Buffer (SMP/Sikora) H ₂ O (1:1)	7.3 5.9	7.3 6.0	7.3 5.7	7.2 5.7	— —
Organic Matter (360°C LOI) %		2.19	1.63	2.25	1.67	
Estimated Nitrogen Release	lb/A	64	53	65	53	
ANIONS	SOLUBLE SULFUR*					
	ppm	16	13	15	14	
	MEHLICH III lb/A P as P ₂ O ₅ ppm of P	1122 245	737 161	1008 220	916 200	
	BRAY II lb/A P as P ₂ O ₅ ppm of P					
EXCHANGABLE CATIONS	OLSEN lb/A P as P ₂ O ₅ ppm of P					
	CALCIUM* lb/A	1610	1252	1272	1018	
	ppm	805	626	636	509	
	MAGNESIUM* lb/A	148	130	118	108	
BASE SATURATION PERCENT	ppm	74	65	59	54	
	POTASSIUM* lb/A	62	72	64	78	
	ppm	31	36	32	39	
	SODIUM* lb/A	54	52	50	44	
	ppm	27	26	25	22	
	Calcium %	63.59	64.27	57.61	55.81	
	Magnesium %	9.74	11.12	8.91	9.87	
	Potassium %	1.26	1.90	1.49	2.19	
	Sodium %	1.85	2.32	1.97	2.10	
	Other Bases %	5.60	5.40	6.00	6.00	
	Hydrogen %	18.00	15.00	24.00	24.00	
EXTRACTABLE MINORS						
	Boron* (ppm)	0.46	0.39	0.62	0.61	
	Iron* (ppm)	287	240	287	210	
	Manganese* (ppm)	19	25	21	25	
	Copper* (ppm)	2.39	1.51	2.08	1.59	
	Zinc* (ppm)	14.41	11.45	13.94	10.09	
	Aluminum* (ppm)	623	277	536	523	
OTHER TESTS	Soluble Salts (mmhos/cm)					
	Chlorides (ppm)	9.25	22.52	9.83	21.69	
	NO ₃ -N (ppm)	4.0	6.4	4.6	5.0	
	NH ₄ -N (ppm)	< 0.5	1.3	0.6	0.7	
	Bicarbonate (ppm)	22.17	26.95	22.49	18.80	
	Sodium (ppm)					

* Mehlich III Extractable

lb/A

BROOKSIDE LABORATORIES, INC.

94689-1

SOIL AUDIT AND INVENTORY REPORT

Name Huntington Country Club City Cold Spring Harbor State NYIndependent Consultant Soil and Water Consulting Date 08/26/2025

Sample Location			HUNTINGTON CC	TEE	TEE				
Sample Identification				3	12				
Lab Number				0645-1	0646-1				
Total Exchange Capacity (ME/100 g)				3.93	4.13				
pH	Buffer (SMP/Sikora)			7.6	7.3				
	H ₂ O (1:1)			6.7	6.2				
Organic Matter (360°C LOI) %				1.32	2.14				
Estimated Nitrogen Release lb/A				46	63				
ANIONS	SOLUBLE SULFUR*								
			ppm	8	11				
	PHOSPHORUS	MEHLICH III	lb/A P as P ₂ O ₅	202	376				
				ppm of P	44	82			
		BRAY II	lb/A P as P ₂ O ₅						
		ppm of P							
	OLSEN	lb/A P as P ₂ O ₅							
		ppm of P							
EXCHANGABLE CATIONS	CALCIUM*	lb/A	1076	1008					
		ppm	538	504					
	MAGNESIUM*	lb/A	158	136					
		ppm	79	68					
	POTASSIUM*	lb/A	102	172					
		ppm	51	86					
	SODIUM*	lb/A	40	50					
		ppm	20	25					
BASE SATURATION PERCENT									
Calcium %			68.45	61.02					
Magnesium %			16.75	13.72					
Potassium %			3.33	5.34					
Sodium %			2.21	2.63					
Other Bases %			4.70	5.20					
Hydrogen %			4.50	12.00					
EXTRACTABLE MINORS									
Boron* (ppm)			0.63	0.82					
Iron* (ppm)			103	192					
Manganese* (ppm)			18	14					
Copper* (ppm)			0.48	0.75					
Zinc* (ppm)			6.47	7.10					
Aluminum* (ppm)			109	200					
OTHER TESTS	Soluble Salts (mmhos/cm)								
	Chlorides (ppm)			25.74	49.74				
	NO ₃ -N (ppm)			6.6	10.1				
	NH ₄ -N (ppm)			3.2	5.0				
	Bicarbonate (ppm)			67.26	56.46				
	Sodium (ppm)								

* Mehlich III Extractable

lb/A

BROOKSIDE LABORATORIES, INC.

94689-1

SOIL AUDIT AND INVENTORY REPORT

Name Huntington Country Club City Cold Spring Harbor State NYIndependent Consultant Soil and Water Consulting Date 08/26/2025

Sample Location		HUNTINGTON CC	FAIRWAY				
Sample Identification		2					
Lab Number		0647-1					
Total Exchange Capacity (ME/100 g)		7.73					
pH	Buffer (SMP/Sikora)	7.2					
	H ₂ O (1:1)	5.5					
Organic Matter (360°C LOI) %		4.25					
Estimated Nitrogen Release lb/A		92					
ANIONS	SOLUBLE SULFUR*		ppm	17			
	PHOSPHORUS	MEHLICH III	lb/A P as P ₂ O ₅ ppm of P	513 112			
		BRAY II	lb/A P as P ₂ O ₅ ppm of P				
		OLSEN	lb/A P as P ₂ O ₅ ppm of P				
	EXCHANGABLE CATIONS	CALCIUM*	lb/A ppm	1432 716			
MAGNESIUM*		lb/A ppm	192 96				
POTASSIUM*		lb/A ppm	324 162				
SODIUM*		lb/A ppm	56 28				
BASE SATURATION PERCENT							
	Calcium	%	46.31				
	Magnesium	%	10.35				
	Potassium	%	5.37				
	Sodium	%	1.57				
	Other Bases	%	6.40				
	Hydrogen	%	30.00				
EXTRACTABLE MINORS							
	Boron* (ppm)		0.70				
	Iron* (ppm)		221				
	Manganese* (ppm)		11				
	Copper* (ppm)		1.66				
	Zinc* (ppm)		4.86				
	Aluminum* (ppm)		726				
OTHER TESTS	Soluble Salts (mmhos/cm)						
	Chlorides (ppm)		45.58				
	NO ₃ -N (ppm)		15.4				
	NH ₄ -N (ppm)		11.3				
	Bicarbonate (ppm)		36.78				
	Sodium (ppm)						

* Mehlich III Extractable